





Issue:	Drawn By:	Checked By:	CRF No.:	Date:	Description:
a	SJ	KB	3609	21/10/25	First Issue
b					
c					
d					

XC3KE


KammEdge.

Instructions







KammEdge.



SA397U x 3




SA398U x 3




SA430/SA468 x 7




SA438 x 1




PS519 x 1




PS520 x 1




SA610 x 2




PS635 x 2



**FS323
(M6 x 16) x 8**



LSF (L) x 2




LSF (R) x 2




C04 x 6
optional upgrade


Fitting Kit




PS183 x 6




PS023 x 6




PS619 x 2



PS208 (M8) x 8




FW002 (M8) x 8



FW021 (M8) x 8



FN006 (M8) x 12



MS209 x 6




PS020 (M8) x 6



SW525 x 2



FS059
(M8 x 25) x 18



FN085 x 18



FS024
(M8 x 100) x 6




FT05 x 1



FT01 x 1




FS081
(M8 x 50) x 4



FS067
(M8 x 20) x 4




1.




	DELIVER 9	3-6, 13-29.
	2020- L1-H1	

2.




	DELIVER 9	7-29.
	2020- L2-H2	


3.




4.









5.




6.






13.



14.



15.



SA397U
PS183




SA397U
PS183




SA397U
PS183

R



F


SA398U
PS183




SA398U
PS183




SA398U
PS183















16.




17.










L685/LB685- Deliver 9 2020-, L1-H1 (Twin)

Max Load = 150kg/330lbs




L685/LB685 = 26kg/57lbs




A FN085 Qty	B FN085 Qty	Rear Bar – End (mm)
3	6	430

L686/LB686- Deliver 9 2020-, L2-H2 (Twin)

Max Load = 150kg/330lbs




L686/LB686 = 27kg/60lbs




A FN085 Qty	B FN085 Qty	Rear Bar – End (mm)
4	5	387


36.




37.




38.




39.















40.




41.









54.




55.




56.



57.



58.



59.

